Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at http://about.jstor.org/participate-jstor/individuals/early-journal-content.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

many cases of favus of the glabrous skin, the *Favus herpeticus* of Quincke, caused by the dermatophyte *Achorion quinckeanum.* It may be emphasized that this fungus is quite distinct from that typical of human favus, the *Achorion Schönleinii.*

A study, made at the Hygienic Laboratory of the United States Public Health Service, of samples of wheat and of several mouse skins collected in Australia proved negative. The descriptions and figures presented by Australian physicians, however, leave no question that the disease present in Australia is favus.

It is not improbable that there may be an occasional appearance of mouse favus, or rather *Favus herpeticus*, among those handling the imported wheat. The possibility that the spores may be present in flour and cause infection in bakers is very remote and probably negligible.

The disease in man develops clinically much as *Herpes tonsurans*, but in most cases well developed cup-shaped crusts or scutula appear near the center of the lesion. The infection in man is usually not serious, yielding readily to treatment, and far more readily cured than the *Favus vulgaris* of the scalp.

There are apparently no reports of cases in the United States in recent years.

It is not probable that the danger from infection through importation of Australian wheat is sufficiently great to warrant any interference with, certainly not to warrant the exclusion of, the grain.

THE NOTIFIABLE DISEASES.

PREVALENCE DURING 1917 IN STATES.

ANTHRAX, CEREBROSPINAL MENINGITIS, DIPHTHERIA, MALARIA, MEASLES, POLIOMYELITIS, RABIES IN MAN, ROCKY MOUNTAIN SPOTTED FEVER, SCARLET FEVER, SEPTIC SORE THROAT, SMALLPOX, TUBERCULOSIS (PULMONARY AND ALL FORMS), TYPHOID FEVER, AND TYPHUS FEVER CASES, AND DEATHS REPORTED, 1917; AVERAGE NUMBER OF CASES REPORTED DURING RECENT YEARS (1912 to 1916); CASE RATES, FATALITY AND MORTALITY RATES, 1917.

The tables which appear on the following pages have been compiled from data furnished by the health officers of the several States in response to requests from the United States Public Health Service.

Thirty-six States, Hawaii, Porto Rico, and the District of Columbia filled out and returned the schedules, viz: Alabama, Arkansas, California, Colorado, Connecticut, District of Columbia, Hawaii, Illinois, Indiana, Iowa, Kansas, Louisiana, Maine, Maryland, Massachusetts, Michigan, Minnesota, Mississippi, Montana, Nevada, New Jersey, New York, North Dakota, Ohio, Oklahoma, Oregon, Pennsylvania, Porto Rico, Rhode Island, South Carolina, South Dakota, Texas, Utah, Vermont, Virginia, Washington, West Virginia, Wisconsin, Wyoming.

The populations used in computing the case rates and death rates were those estimated by the Bureau of the Census as of July 1, 1917,

except for the population of Iowa. For this State the population in 1910, as ascertained by the census of that year, was used, as no estimate for 1917 was available.

The averages for preceding years were obtained by adding together the figures for the years 1912, 1913, 1914, 1915, and 1916 and dividing the sum by 5. Data for the full five years were not available for some of the States. The column headed "Averages are for —" shows the number of years for which the figures were obtainable. In all instances the average figures are for years between 1912 and 1916, inclusive.

In comparing the figures for 1917 with the averages for preceding years, it should be borne in mind that an increase in the number of cases reported may indicate that there were more cases of the particular disease in the State during 1917, or it may indicate that the cases were better reported by the physicians.

A relatively large number of reported cases of a communicable disease, as indicated by a high case rate (and more especially when accompanied by a relatively small number of deaths, as indicated by a low fatality rate), usually means that the health department of that State is active and that the cases of the disease are being well reported by the practicing physicians. It does not necessarily mean that the disease is more prevalent in that State than in other States. A high fatality rate may mean that the disease was unusually virulent in a State, that the physicians did not treat the disease in that State with the success usual elsewhere, or that the practicing physicians did not report all of their cases. On the other hand, an unusually low fatality rate may be due to the fact that the disease in the State was unusually mild, that the physicians treated it with unusual success, that the practicing physicians reported their cases satisfactorily, or that the registration of death was incomplete, or the assignment of the causes of death inaccurate.

RABIES IN MAN.

Cases and Deaths, 1917.

State.	Estimated population. July 1, 1917.	Cases.	Deaths.
Alabama	2,363,939	1	1
Colorado	988,320	2	2
Connecticut	1,265,373	3	3
Illinois	6,234,995	3	3
Indiana	2,835,492	1	2
Louisiana	1,856,954	4	4
Minnesota	2,312,445	2	2
New Jersey	3,014,194	3	3
New York	10,460,182	2	5
Ohio	5,212,085	3	4
Pennsylvania	8,660,042	3	3
South Carolina	1,643,205	.....	6
Texas	4,515,423	.....	2
Wisconsin	2,527,167	3	3

ANTHRAX.

State.	Estimated population July 1, 1917.	Number of cases reported.													
		January.		February.		March.		April.		May.		June.		July.	
		1916	1917	1916	1917	1916	1917	1916	1917	1916	1917	1916	1917	1916	1917
California	3,029,032	0	1	1	0	0	0	0	0	0	0	2	0	0	1
Colorado	988,320	.....	0	.....	0	.....	0	.....	0	.....	0	.....	0	.....	0
Connecticut	1,265,373	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Illinois	6,234,995	.....	0	.....	0	.....	1	.....	1	.....	0	.....	0	.....	0
Kansas	1,851,870	3	0	0	0	0	0	0	1	0	1	0	0	0	0
Louisiana	1,856,954	0	0	0	1	1	0	0	0	2	1	0	10	0	6
Maryland	1,373,673	.....	0	.....	0	.....	0	.....	0	.....	0	.....	0	.....	0
Massachusetts	3,775,973	0	1	2	0	9	3	4	5	3	12	5	9	0	0
New Jersey	3,014,194	0	2	0	4	1	4	0	1	1	2	1	1	0	3
New York	10,460,182	0	2	4	2	0	1	0	3	1	5	1	2	3	2
Ohio	5,212,085	0	2	0	0	1	0	0	0	0	0	0	1	0	0
Pennsylvania	8,660,042	1	4	1	2	4	2	2	2	6	1	2	1	1	6
Texas	4,515,423	.....	0	.....	0	.....	0	.....	1	.....	0	.....	0	.....	2
Vermont	364,946	.....	0	.....	0	.....	0	.....	0	.....	0	.....	0	.....	0
Wisconsin	2,527,167	.....	0	.....	0	.....	0	.....	0	.....	0	.....	0	.....	0

State.	Number of cases reported.										Total cases, 1916.	Total cases, 1917.	Total deaths, 1917.	Cases reported per 1,000 inhabitants, 1917.	Indicated fatality rate per 100 cases, 1917.	Indicated death rate per 1,000, 1917.
	August.		September.		October.		November.		December.							
	1916	1917	1916	1917	1916	1917	1916	1917	1916	1917						
California	3	6	4	2	2	7	0	6	0	0	12	23	6	0.008	26.09	0.002
Colorado	.....	4	.....	0	.....	0	.....	0	.....	0	.....	4	1	.004	25.00	.001
Connecticut	0	0	0	0	0	0	0	0	1	1	1	1	0	.001	.....	.....
Illinois	.....	0	.....	0	.....	0	.....	0	.....	0	.....	2	0	.....	.....	.....
Kansas	0	0	0	0	0	0	0	0	1	0	4	2	2	.001	100.00	.001
Louisiana	0	3	1	0	0	4	0	0	0	2	4	27	4	.015	14.81	.002
Maryland	.....	1	.....	0	.....	0	.....	0	.....	0	.....	1	.....	.001	.....	.....
Massachusetts	2	2	0	6	3	8	1	4	2	4	31	54	11	.014	20.37	.003
New Jersey	0	0	0	1	2	1	0	2	2	0	7	21	6	.007	28.57	.002
New York	2	2	1	3	2	1	1	8	0	1	15	32	12	.003	37.50	.001
Ohio	0	0	0	0	0	0	0	0	0	0	1	3	1	.001	33.33	.....
Pennsylvania	0	3	5	0	3	2	6	1	0	1	31	25	11	.003	44.00	.001
Texas	.....	0	.....	0	.....	0	.....	0	.....	0	.....	3	5	.....	.....	.....
Vermont	.....	0	.....	0	.....	2	.....	0	.....	0	.....	2	1	.005	50.00	.003
Wisconsin	.....	0	.....	1	.....	1	.....	0	.....	0	.....	2	2	.001	100.00	.001

CEREBROSPINAL MENINGITIS.

State.	Estimated population July 1, 1917.	Averages are for—	Number of cases reported.													
			January.		February.		March.		April.		May.		June.		July.	
			Average.	1917	Average.	1917	Average.	1917	Average.	1917	Average.	1917	Average.	1917	Average.	1917
Alabama	2,363,939	3 years	12	3	13	5	9	4	18	3	11	5	7	3	2	10
Arkansas	1,766,343			2		0		1		0		2		0		2
California	3,029,032	4 years	8	9	6	4	11	6	6	11	5	6	2	14	4	28
Connecticut	1,265,373	4 years	3	15	3	33	6	57	6	80	5	48	4	35	2	12
District of Columbia	369,282	4 years	(1)	0	1	0	(1)	7	(1)	3	1	6	(1)	3	(1)	2
Hawaii	219,580	4 years	(1)	2	1	0	(1)	3	(1)	0	(1)	0	(1)	0	2	1
Illinois	6,234,995	2 years	24	12	14	14	23	28	24	42	14	65	9	57	14	61
Indiana	2,835,492	3 years	5	16	5	0	9	22	9	14	8	6	5	8	2	3
Iowa	2,224,771	3 years	4	0	3	3	4	4	4	6	2	4	1	1	2	1
Kansas	1,851,870	4 years	4	9	4	15	5	19	4	21	3	22	2	5	3	6
Louisiana	1,856,954	3 years	6	1	7	3	5	2	4	3	2	0	1	1	1	2
Maine	777,340			0		2		0		0		0		1		0
Maryland	1,373,673	2 years	5	0	6	1	2	20	6	30	2	40	3	27	8	8
Massachusetts	3,775,973	2 years	14	11	15	9	20	16	15	17	14	23	16	36	8	15
Minnesota	2,312,445	4 years	1	5	3	33	4	78	4	103	3	68	2	32	2	14
Mississippi	1,976,570	3 years	5	1	7	3	8	1	3	1	6	3	3	2	3	2
Montana	472,935	3 years	1	0	1	0	(1)	1	2	1	1	1	2	2	(1)	1
Nevada	110,738	2 years	3	0	1	0	(1)	3	0	0	1	0	(1)	0	1	0
New Jersey	3,014,194													27		18
New York	10,460,182	4 years	25	31	26	41	36	52	33	55	41	79	41	59	28	34
Ohio	5,212,085	3 years	14	10	16	39	17	101	29	150	15	114	13	62	14	34
Oregon	861,992	2 years	(1)	0	1	0	0	1	1	1	0	2	0	0	0	1
Pennsylvania	8,660,042	1916	12	22	11	37	11	141	20	212	14	173	11	128	10	43
Porto Rico	1,231,880			0		0		1		2		0		0		1
Rhode Island	625,865	1916	1	5	1	3	1	4	2	14	5	4	2	5	1	14
South Carolina	1,643,205	4 years	2	1	1	2	3	1	2	2	(1)	1	5	0	1	0
South Dakota	716,972	2 years	0	0	1	2	0	1	1	3	1	2	2	2	0	1
Texas	4,515,423	1915	3	12	4	13	6	10	1	9	1	10	2	13	2	7
Vermont	364,946	1916	0	0	7	0	0	1	0	0	0	1	0	3	0	1
Virginia	2,213,025	2 years	23	13	15	19	26	24	25	16	13	16	25	10	23	10
Washington	1,597,400	4 years	2	0	2	0	1	2	2	1	1	11	1	3	(1)	2
West Virginia	1,412,602			7		6		5		10		2		1		5
Wisconsin	2,527,167	4 years	11	3	8	6	12	16	9	21	6	24	10	19	6	5
Wyoming	184,970	3 years	0	0	(1)	1	(1)	0	1	0	(1)	1	0	0	0	0

State.	Number of cases reported.										Average number of cases per year.	Total cases, 1917.	Total deaths, 1917.	Cases reported per 1,000 inhabitants, 1917.	Indicated fatality rate per 100 cases, 1917.	Indicated death rate per 1,000, 1917.
	August.		September.		October.		November.		December.							
	Average.	1917	Average.	1917	Average.	1917	Average.	1917	Average.	1917						
Alabama	2	1	2	2	3	5	3	6	2	16	84	63	19	0.027	30.16	0.008
Arkansas	.....	1	.....	1	.....	0	.....	1	.....	2	.....	12	43	.....	.....	.....
California	4	11	2	3	5	6	4	15	5	20	62	133	28	.044	21.05	.009
Connecticut	3	6	3	12	2	4	2	6	3	4	42	312	160	.247	51.28	.126
District of Columbia	0	1	(1)	1	(1)	0	(1)	2	(1)	8	6	33	17	.089	51.52	.046
Hawaii	(1)	1	(1)	0	(1)	2	0	0	(1)	2	8	11	7	.050	63.64	.032
Illinois	13	36	16	37	10	36	13	29	12	33	186	450	322	.072	71.56	.052
Indiana	2	4	3	4	4	2	2	3	4	8	58	90	62	.032	68.89	.022
Iowa	1	3	0	6	4	6	2	4	1	7	28	45	41	.020	91.11	.018
Kansas	2	4	4	6	3	5	1	14	4	26	39	152	.....	.082	.....	.....
Louisiana	(1)	0	(1)	0	2	2	2	8	3	20	34	42	.....	.023	.....	.....
Maine	.....	0	.....	1	.....	0	.....	1	.....	1	.....	6	22	.....	.....	.....
Maryland	5	2	3	4	3	4	2	7	5	15	50	158	22	.115	13.92	.016
Massachusetts	10	19	15	8	11	11	12	16	14	15	164	196	158	.052	80.61	.042
Minnesota	3	6	1	6	2	5	2	3	3	6	30	359	186	.155	51.81	.080
Mississippi	1	0	4	5	3	6	4	7	6	9	53	40	5	.020	12.50	.003
Montana	2	0	1	1	1	1	(1)	0	(1)	1	13	9	29	.....	.....	.....
Nevada	(1)	0	(1)	0	(1)	0	1	0	(1)	0	10	3	2	.027	66.67	.018
New Jersey	.....	15	.....	4	.....	3	.....	6	.....	19	.....	.....	.....	.....	.....	.....
New York	24	22	27	28	27	17	18	35	22	31	348	484	310	.046	64.05	.030
Ohio	12	26	8	22	14	25	15	17	13	30	180	630	313	.121	49.68	.060
Oregon	0	2	0	2	0	1	1	0	(1)	1	4	11	2	.013	18.18	.002
Pennsylvania	25	41	15	25	8	31	11	22	14	26	162	901	916	.....	.....	.....
Porto Rico	.....	0	.....	0	.....	0	.....	1	.....	0	.....	5	2	.004	40.00	.002
Rhode Island	2	3	1	1	2	5	2	3	1	3	21	64	45	.102	70.31	.072
South Carolina	1	0	1	2	(1)	1	(1)	6	2	128	19	144	86	.088	59.72	.052
South Dakota	0	3	1	0	0	6	0	0	2	1	8	21	11	.029	52.38	.015
Texas	3	1	4	1	0	1	1	4	3	15	30	96	109	.....	.....	.....
Vermont	0	0	0	0	0	0	0	0	0	0	7	6	2	.016	33.33	.005
Virginia	14	9	18	8	14	4	8	15	8	25	212	169	.....	.076	.....	.....
Washington	1	1	1	0	2	3	(1)	2	(1)	7	14	32	31	.020	96.88	.020
West Virginia	.....	1	.....	1	.....	0	.....	2	.....	0	.....	40	29	.028	72.50	.021
Wisconsin	7	9	4	11	6	13	6	6	7	5	92	138	248	.....	.....	.....
Wyoming	(1)	1	0	0	0	0	(1)	1	3	1	7	5	14	.....	.....	.....

[1] Less than 1.

DIPHTHERIA.

State.	Estimated population July 1, 1917.	Averages are for—	Number of cases reported.													
			January.		February.		March.		April.		May.		June.		July.	
			Average.	1917	Average.	1917	Average.	1917	Average.	1917	Average.	1917	Average.	1917	Average.	1917
Alabama	2,363,939	3 years	35	59	29	36	34	38	24	32	27	22	12	21	20	18
Arkansas	1,766,343	.....	.....	29	.....	10	.....	13	.....	7	.....	6	.....	4	.....	4
California	3,029,032	4 years	251	354	219	316	271	195	202	149	243	228	218	129	142	97
Colorado	988,320	2 years	41	35	41	27	50	62	38	68	35	53	29	36	32	24
Connecticut	1,265,373	5 years	254	222	192	179	177	177	167	143	159	142	149	137	117	142
District of Columbia	369,282	5 years	63	61	40	48	32	142	40	38	34	25	21	18	19	16
Hawaii	219,580	5 years	15	17	15	14	48	5	14	11	10	3	8	11	6	9
Illinois	6,234,995	3 years	1,230	1,316	821	1,092	876	1,319	760	1,087	744	1,143	730	930	595	890
Indiana	2,835,492	5 years	320	409	243	257	176	235	138	193	118	197	95	150	101	153
Iowa	2,224,771	4 years	80	45	74	35	70	38	59	16	65	37	40	41	26	56
Kansas	1,851,870	5 years	114	170	95	80	74	95	54	91	56	68	40	82	38	66
Louisiana	1,856,954	3 years	125	75	81	67	75	59	53	52	42	27	33	30	26	55
Maine	777,340	1916	35	28	22	18	20	10	19	19	18	19	7	17	33	5
Maryland	1,373,673	2 years	262	181	196	134	182	125	96	74	93	104	74	55	81	54
Massachusetts	3,775,973	3 years	662	869	599	783	567	858	507	738	507	876	464	793	375	597
Michigan	3,094,256	4 years	463	645	339	533	352	722	318	549	307	610	286	523	253	468
Minnesota	2,312,445	5 years	281	261	229	228	233	116	207	247	244	335	179	301	137	444
Mississippi	1,976,570	3 years	79	76	53	56	39	32	30	27	18	37	33	37	49	19
Montana	472,935	4 years	15	19	15	18	14	29	13	17	10	35	14	19	16	29
Nevada	110,738	2 years	0	2	(1)	0	0	0	2	0	1	0	0	1	2	2
New Jersey	3,014,194	5 years	611	483	506	423	511	438	416	416	507	395	465	365	347	328
New York	10,460,182	5 years	2,062	1,744	1,928	1,715	1,949	1,767	1,753	1,590	1,896	1,711	1,849	1,582	1,199	1,303
North Dakota	765,319	.....	.....	33	.....	36	.....	49	.....	24	.....	23	.....	33	.....	46
Ohio	5,212,085	3 years	909	681	702	490	613	562	469	478	421	600	362	552	330	410
Oklahoma	2,289,855	3 years	138	64	80	69	58	56	42	49	27	32	15	37	23	6
Oregon	861,992	5 years	38	15	29	3	20	19	23	9	23	10	19	24	14	9
Pennsylvania	8,660,042	2 years	1,319	1,503	1,028	1,257	902	1,268	801	1,053	805	1,091	699	927	626	907
Porto Rico	1,231,880	2 years	18	9	12	12	18	2	7	6	16	7	9	6	18	3
Rhode Island	625,865	2 years	119	99	108	93	94	114	72	80	89	102	58	68	54	114
South Carolina	1,643,205	4 years	97	96	82	116	63	72	75	55	44	75	41	94	58	48
South Dakota	716,972	2 years	34	30	17	35	28	16	17	17	27	8	16	17	26	11
Texas	4,515,423	1915	140	173	96	123	70	78	142	43	28	63	50	33	93	45
Utah	443,866	4 years	37	28	31	17	30	23	30	9	22	9	22	18	18	8
Vermont	364,946	3 years	44	37	24	35	20	40	36	26	38	16	30	24	25	24
Virginia	2,213,025	5 years	259	251	252	148	126	97	96	78	72	81	60	52	93	40
Washington	1,597,400	4 years	54	25	45	22	41	24	43	18	36	40	36	28	30	22
West Virginia	1,412,602	.....	.....	82	.....	55	.....	43	.....	43	.....	36	.....	29	.....	18
Wisconsin	2,527,167	4 years	261	231	153	223	188	236	180	181	147	215	117	159	101	161
Wyoming	184,970	4 years	2	5	4	8	2	16	4	0	(1)	1	(1)	0	2	0

State.	Number of cases reported.										Average number of cases per year.	Total cases, 1917.	Total deaths, 1917.	Cases reported per 1,000 inhabitants, 1917.	Indicated fatality rate per 100 cases, 1917.	Indicated death rate per 1,000, 1917.
	August.		September.		October.		November.		December.							
	Average.	1917.	Average.	1917.	Average.	1917.	Average.	1917.	Average.	1917.						
Alabama	62	56	121	127	111	160	86	107	56	61	617	737	191	0.312	25.92	0.081
Arkansas	.....	14	.....	40	.....	53	.....	33	.....	75	.....	288	107	.163	37.15	.061
California	149	115	149	112	249	298	342	303	337	268	2,772	2,564	198	.846	7.72	.065
Colorado	32	44	61	28	61	76	73	49	63	84	556	586	45	.593	7.68	.046
Connecticut	92	104	146	162	252	337	290	338	268	284	2,263	2,367	224	1.871	9.46	.177
District of Columbia	16	9	25	65	60	357	91	263	92	88	533	1,130	37	3.060	3.27	.100
Hawaii	11	14	15	11	13	10	10	7	15	9	180	121	18	.551	14.88	.082
Illinois	501	722	754	1,212	1,352	814	1,521	2,046	1,421	1,161	11,305	13,732	1,725	2.202	12.56	.277
Indiana	174	207	366	424	713	792	693	592	486	488	3,623	4,097	444	1.445	10.84	.157
Iowa	25	39	46	59	128	104	152	78	90	89	855	637	138	.286	21.66	.062
Kansas	49	46	81	79	282	193	335	221	218	162	1,436	1,353	155	.731	11.46	.084
Louisiana	55	165	105	306	180	203	131	111	92	72	998	1,222	102	.658	8.35	.055
Maine	27	15	22	29	73	23	44	82	87	37	407	302	65	.389	21.52	.084
Maryland	99	69	188	124	302	245	365	228	274	203	2,212	1,596	134	1.162	8.39	.098
Massachusetts	368	590	426	729	596	1,152	673	1,181	739	1,156	6,483	10,322	836	2.734	8.10	.221
Michigan	283	398	391	381	630	888	754	861	649	722	5,025	7,300	783	2.359	10.73	.253
Minnesota	145	503	186	321	341	442	334	415	275	277	2,791	3,890	254	1.682	6.53	.110
Mississippi	102	64	148	166	224	179	180	155	137	103	1,092	951	157	.481	16.51	.079
Montana	13	15	14	20	20	21	25	20	22	45	191	287	39	.607	13.58	.082
Nevada	(1)	2	(1)	0	0	6	0	4	0	2	6	19	5	.172	26.32	.045
New Jersey	296	248	379	402	613	610	758	676	661	542	6,070	5,326	447	1.767	8.39	.148
New York	997	1,010	1,074	1,196	1,654	1,966	1,780	1,889	2,011	1,710	20,152	19,183	1,745	1.834	9.10	.167
North Dakota	.....	34	.....	61	.....	27	.....	78	.....	95	.....	539	48	.704	8.91	.063
Ohio	436	438	771	838	1,323	1,094	1,425	1,020	995	772	8,756	7,935	749	1.522	9.44	.144
Oklahoma	59	21	158	82	295	91	233	121	180	103	1,308	731	108	.319	14.78	.047
Oregon	17	5	14	17	20	22	37	22	37	16	291	171	17	.198	9.94	.020
Pennsylvania	826	982	1,087	1,626	1,719	2,241	1,858	2,046	1,607	1,503	13,277	16,404	2,016	1.894	12.29	.233
Porto Rico	22	5	5	18	16	22	10	12	7	10	158	112	40	.091	35.71	.032
Rhode Island	61	72	65	69	104	166	113	105	94	104	1,031	1,186	151	1.895	12.73	.241
South Carolina	166	137	341	216	371	258	245	227	217	140	1,800	1,534	70	.934	4.56	.043
South Dakota	13	18	15	8	21	8	37	33	17	25	268	226	16	.315	7.08	.022
Texas	78	27	203	75	533	183	651	262	349	204	2,433	1,309	238	.290	18.18	.053
Utah	17	26	23	37	38	52	40	42	34	36	342	305	43	.687	14.10	.097
Vermont	26	18	25	28	72	46	81	28	61	22	482	344	27	.943	7.85	.074
Virginia	228	149	450	296	730	281	639	380	349	195	3,354	2,048	.....	.925	.....	.....
Washington	27	25	32	35	33	42	44	72	41	61	462	414	47	.259	11.35	.029
West Virginia	.....	70	.....	180	.....	125	.....	173	.....	73	.....	927	73	.656	7.87	.052
Wisconsin	149	195	125	200	245	258	269	217	248	244	2,183	2,520	326	.997	12.94	.129
Wyoming	(1)	5	5	12	4	12	4	21	1	37	29	117	14	.633	11.97	.076

[1] Less than 1

MALARIA.

State.	Estimated population July 1, 1917.	January.		February.		March.		April.		May.		June.		July.	
		Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
Alabama	2,363,939	51	11	18	10	43	19	52	17	82	23	134	47	248	55
Arkansas	1,766,343	159	30	239	38	246	24	243	31	275	31	440	33	447	28
California	3,029,032	15	0	17	0	22	1	28	1	33	3	55	2	75	5
Colorado	988,320	0	0	1	0	1	0	1	0	1	1	0	0	0	0
Illinois	6,234,995	60	3	81	3	30	5	49	6	53	7	121	7	162	14
Kansas	1,851,870	1	0	1	1	1	2	1	1	4	4	6	4	4	4
Louisiana	1,856,954	36	25	53	26	150	14	150	16	106	28	213	42	243	37
Maryland	1,373,673	3	0	1	0	0	0	4	0	6	0	12	0	6	3
Massachusetts	3,775,973	1	0	2	0	5	1	2	0	5	0	16	1	11	2
Minnesota	2,312,445	0	0	0	0	0	0	0	0	1	0	0	0	0	0
Mississippi	1,976,570	4,814	18	4,473	21	5,717	31	7,222	27	9,587	55	11,349	62	15,959	190
New Jersey	3,014,194	0	0	3	1	4	0	9	0	17	0	22	0	36	1
Ohio	5,212,085	0	0	1	0	1	0	1	2	1	1	0	1	0	2
Pennsylvania	8,660,042	0	3	0	1	0	2	0	0	1	0	1	1	2	1
Porto Rico	1,231,880	30	193	48	156	35	138	17	144	14	151	31	133	16	186
South Carolina	1,643,205	40	11	13	5	22	8	62	12	37	11	86	19	72	39
Virginia	2,213,025	379	.....	276	.....	381	.....	445	.....	547	.....	911	.....	987	.....
Wisconsin	2,527,167	0	0	0	0	0	0	0	0	0	0	0	0	1	0

State.	August.		September.		October.		November.		December.		Total cases, 1917.	Total deaths, 1917.	Cases reported per 1,000 inhabitants.	Indicated fatality rate per 100 cases.	Indicated death rate per 1,000.
	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.					
Alabama	933	98	445	112	305	74	111	41	54	23	2,476	530	1.047	21.41	0.224
Arkansas	762	64	901	116	429	84	168	61	283	76	4,592	616	2.600	13.41	.349
California	135	8	156	9	141	7	47	4	12	6	736	46	.243	6.25	.015
Colorado	0	0	0	0	0	0	0	0	0	1	4	2	.004	50.00	.002
Illinois	102	21	121	15	11	18	89	2	[1] 1,510	7	2,389	108	.383	4.52	.017
Kansas	7	2	7	1	4	4	1	0	1	3	38	26	.021	68.42	.014
Louisiana	317	49	268	74	199	50	141	39	98	25	1,974	425	1.063	21.53	.229
Maryland	14	2	9	0	6	1	2	0	1	0	64	6	.047	9.38	.004
Massachusetts	13	0	12	0	7	0	2	1	2	0	78	5	.021	6.41	.001
Minnesota	0	1	0	0	0	0	0	0	0	0	1	1	.....	100.00	.....
Mississippi	28,234	140	25,435	203	15,079	142	8,382	77	4,436	33	140,687	999	71.177	.71	.506
New Jersey	28	1	19	1	9	0	5	0	4	1	156	5	.052	3.21	.002
Ohio	5	3	6	5	1	0	1	0	0	0	17	14	.003	82.35	.003
Pennsylvania	1	2	4	0	1	2	1	3	0	0	11	15	.....	.....	.....
Porto Rico	11	157	143	123	455	161	372	129	580	134	1,752	1,805	.....	.....	.....
South Carolina	134	45	290	65	108	44	49	15	14	8	927	282	.564	30.42	.172
Virginia	1,181	.....	1,051	.....	628	.....	334	.....	183	.....	7,303	.....	3.300	.....	.....
Wisconsin	0	0	0	0	0	0	0	0	0	0	1	0	.....	.....	.....

[1] Most of these cases occurred earlier in the year, but were reported in December.

MEASLES.

State.	Estimated population July 1, 1917.	Averages are for—	Number of cases reported.													
			January.		February.		March.		April.		May.		June.		July.	
			Average.	1917	Average.	1917	Average.	1917	Average.	1917	Average.	1917	Average.	1917	Average.	1917
Alabama	2,363,939	2 years	7	781	75	3,805	169	5,787	197	4,232	156	2,050	80	525	31	193
Arkansas	1,766,343			891		1,517		1,705		1,143		474		116		33
California	3,029,032	4 years	604	1,606	789	3,305	1,148	3,868	1,065	4,411	976	4,041	717	1,703	257	665
Colorado	988,320	2 years	250	655	421	2,108	682	3,197	996	2,306	1,088	1,335	396	419	102	66
Connecticut	1,265,373	5 years	601	633	728	600	946	877	1,010	1,068	1,064	1,430	854	984	378	327
District of Columbia	369,282	5 years	198	89	391	207	599	517	449	810	364	852	297	572	147	192
Hawaii	219,580	5 years	73	12	58	15	40	13	76	6	53	16	52	31	20	3
Illinois	6,234,995	3 years	2,035	4,959	2,649	6,483	3,355	11,106	3,607	10,534	2,998	9,415	1,831	4,255	654	1,331
Indiana	2,835,492	3 years	593	4,145	1,240	5,353	2,142	7,332	3,001	7,288	3,011	3,908	2,157	1,283	473	249
Kansas	1,851,870	5 years	198	972	742	2,716	1,464	6,314	1,792	5,915	1,733	3,938	573	993	149	218
Louisiana	1,856,954	3 years	43	4,047	46	1,866	86	933	119	361	108	231	70	101	50	41
Maine	777,340	1916	8	112	22	309	47	341	53	253	10	226	23	374	250	119
Maryland	1,373,673	2 years	556	801	886	761	1,465	1,292	1,327	1,848	1,416	2,569	1,197	1,662	381	605
Massachusetts	3,775,973	3 years	2,308	1,886	2,903	2,197	3,837	2,852	4,383	3,170	4,217	4,234	3,260	3,832	1,538	1,347
Michigan	3,094,266	4 years	730	508	985	726	1,287	1,798	1,290	2,360	1,540	2,845	927	1,914	263	560
Minnesota	2,312,445	5 years	265	295	522	705	949	1,020	870	1,729	703	2,392	411	1,356	143	303
Mississippi	1,976,570	3 years	394	3,008	934	7,636	1,843	9,063	1,684	6,092	1,341	3,580	527	1,847	187	946
Montana	472,935	4 years	317	515	258	553	385	1,028	352	800	357	597	166	208	45	64
Nevada	110,738	2 years	24	129	33	345	42	583	26	214	53	43	12	45	1	43
New Jersey	3,014,194													937		421
New York	10,460,182	5 years	4,963	3,391	6,097	5,007	8,900	7,902	10,373	9,451	11,124	11,712	8,537	9,563	3,951	3,612
North Dakota	765,319			131		167		251		191		224		83		27
Ohio	5,212,985	3 years	2,158	2,934	3,452	4,397	5,363	6,089	6,522	5,571	5,303	4,510	3,100	2,410	1,163	690
Oklahoma	2,289,855	3 years	45	580	194	2,151	130	3,767	525	3,201	259	844	108	243	50	30
Oregon	861,992	5 years	173	695	205	1,195	205	1,184	190	730	146	522	99	177	55	35
Pennsylvania	8,660,042	2 years	6,644	4,245	7,876	4,487	12,169	5,570	12,014	5,074	10,486	2,652	5,519	4,329	2,498	1,334
Porto Rico	1,231,880			112		181		337		804		1,005		1,009		464
Rhode Island	625,865	2 years	159	48	122	32	266	57	294	89	259	147	157	130	58	110
South Carolina	1,643,205	4 years	176	1,373	352	1,202	432	1,156	398	604	117	310	72	74	43	2
South Dakota	716,972	2 years	226	124	216	77	184	154	350	168	339	139	97	88	26	17
Texas	4,515,423			574		1,715		1,114		259		29		1		6
Utah	443,866	4 years	587	5,406	789	3,477	672	2,221	621	1,617	414	1,058	222	200	57	91
Vermont	364,946	3 years	68	863	81	1,528	116	2,537	91	1,758	108	2,033	119	1,067	189	421
Virginia	2,213,025	2 years	807	3,388	1,043	4,847	2,321	4,947	3,018	4,105	3,650	2,206	1,670	1,119	485	511
Washington	1,597,400	4 years	325	4,099	469	4,605	673	3,559	1,187	2,477	1,327	1,400	893	502	309	125
West Virginia	1,412,602			1,197		931		453		634		359		160		59
Wisconsin	2,527,167	4 years	964	256	1,045	352	1,439	632	1,179	684	1,095	1,367	858	1,143	376	338
Wyoming	184,970	4 years	33	75	62	105	69	226	47	120	45	346	24	69	13	28

State.	Number of cases reported.										Average number of cases per year.	Total cases, 1917.	Total deaths, 1917.	Cases reported per 1,000 inhabitants, 1917.	Indicated fatality rate per 100 cases, 1917.	Indicated death rate per 1,000, 1917.
	August.		September.		October.		November.		December.							
	Average.	1917.	Average	1917.	Average.	1917.	Average.	1917.	Average.	1917.						
Alabama	14	157	9	64	4	165	11	407	23	1,027	776	19,193	466	8.119	2.43	0.197
Arkansas	.....	5	.....	101	.....	67	.....	543	.....	1,250	.....	7,845	216	4.442	2.75	.122
California	150	530	235	319	339	310	323	360	404	835	7,007	21,953	188	7.248	.86	.062
Colorado	20	100	59	16	49	25	61	18	167	129	4,291	10,374	69	10.497	.67	.070
Connecticut	68	108	32	54	83	268	206	414	363	699	6,333	7,462	126	5.897	1.69	.100
District of Columbia	30	34	11	25	13	33	21	208	56	268	2,576	3,807	14	10.309	.37	.038
Hawaii	13	1	23	2	86	1	86	1	83	2	663	103	3	.469	2.91	.014
Illinois	161	312	114	189	260	122	511	389	984	417	19,159	49,512	766	7.941	1.55	.123
Indiana	89	67	55	22	180	50	523	116	790	270	14,254	30,083	550	10.609	1.83	.194
Kansas	37	27	22	47	37	176	95	448	156	700	6,998	22,464	233	12.130	1.04	.126
Louisiana	34	70	26	23	71	364	160	1,871	830	626	1,643	10,534	250	5.673	2.37	.135
Maine	53	43	34	52	68	48	323	359	238	799	1,129	3,035	130	3.904	4.28	.167
Maryland	133	154	103	82	123	102	424	291	771	446	8,782	10,613	117	7.726	1.10	.085
Massachusetts	384	380	171	241	385	589	745	1,232	1,205	1,920	25,336	23,880	366	6.324	1.53	.097
Michigan	73	212	73	98	229	467	321	437	514	528	8,232	12,453	241	4.025	1.94	.078
Minnesota	44	41	22	20	59	42	131	211	183	189	4,302	8,303	121	3.591	1.46	.052
Mississippi	109	406	111	397	55	1,265	129	5,792	222	9,390	7,536	49,422	546	25.004	1.11	.276
Montana	20	20	17	7	49	24	48	22	110	47	2,124	3,885	40	8.215	1.03	.085
Nevada	1	1	3	0	0	7	25	8	6	47	226	1,465	1	13.229	.07	.009
New Jersey	.....	182	.....	70	.....	326	.....	855	.....	1,951	.....	.....	.....	.....	.....	.....
New York	1,118	954	531	525	1,021	1,018	1,907	2,254	3,062	5,471	61,584	60,860	892	5.818	1.47	.085
North Dakota	.....	2	.....	22	.....	11	.....	8	.....	18	.....	1,135	22	1.483	1.94	.029
Ohio	261	127	150	101	324	202	780	433	1,272	507	29,848	27,971	564	5.367	2.02	.108
Oklahoma	13	9	13	11	18	8	36	46	38	374	1,429	11,264	168	4.919	1.49	.073
Oregon	32	8	22	8	40	1	68	32	162	41	1,397	4,628	55	5.369	1.19	.064
Pennsylvania	873	248	518	224	1,320	590	2,741	967	4,411	1,697	67,069	31,417	513	3.628	1.63	.059
Porto Rico	.....	345	.....	540	.....	861	.....	705	.....	638	.....	7,001	1,372	5.683	19.60	1.114
Rhode Island	12	11	6	3	18	27	85	26	38	40	1,474	720	75	1.150	10.42	.120
South Carolina	26	1	17	13	29	30	115	296	302	585	2,079	5,646	183	3.436	3.24	.111
South Dakota	3	22	2	6	4	39	12	116	18	78	1,477	1,028	3	1.434	.29	.004
Texas	.....	0	.....	0	.....	55	.....	84	.....	909	.....	4,746	672	1.051	14.16	.149
Utah	19	25	13	18	100	64	242	267	290	591	4,032	15,035	104	33.873	.69	.234
Vermont	68	107	56	39	60	21	62	29	96	23	1,114	10,426	79	28.569	.76	.216
Virginia	176	172	131	133	240	134	499	646	937	1,086	14,977	23,294	.....	10.526	.....	.....
Washington	101	37	62	18	316	19	559	38	763	365	6,984	17,244	203	10.795	1.18	.127
West Virginia	.....	29	.....	8	.....	17	.....	54	.....	21	.....	3,922	50	2.776	1.27	.035
Wisconsin	78	94	50	40	226	152	333	236	540	417	8,183	5,711	61	2.260	1.07	.024
Wyoming	3	7	4	6	4	11	20	23	84	48	408	1,064	7	5.752	.70	.038

POLIOMYELITIS (INFANTILE PARALYSIS).

State.	Estimated population July 1, 1917.	Averages are for—	Number of cases reported.													
			January.		February.		March.		April.		May.		June.		July.	
			Average.	1917	Average.	1917	Average.	1917	Average.	1917	Average.	1917	Average.	1917	Average.	1917
Alabama	2,363,939	2 years	1	3	(1)	3	0	3	(1)	5	2	3	4	2	39	5
Arkansas	1,766,343			2		0		0		0		0		1		1
California	3,029,032	4 years	5	7	3	2	2	4	4	1	3	2	5	3	10	4
Colorado	988,320	1916	0	0	0	0	1	0	0	0	0	0	1	0	2	0
Connecticut	1,265,373	5 years	(1)	3	(1)	4	1	2	2	1	(1)	5	1	0	35	3
District of Columbia	369,282	5 years	(1)	0	(1)	0	(1)	0	(1)	0	(1)	0	(1)	0	2	0
Hawaii	219,580	4 years	0	0	(1)	0	0	0	(1)	1	(1)	1	0	0	0	0
Illinois	6,234,995	3 years	11	10	11	11	11	9	7	21	8	13	8	8	13	18
Indiana	2,835,492	5 years	2	4	4	4	3	3	1	3	2	1	(1)	5	11	5
Iowa	2,224,771	4 years	2	3	1	3	0	3	1	2	1	2	2	0	10	5
Kansas	1,851,870	5 years	2	0	(1)	1	(1)	1	(1)	3	(1)	4	5	3	11	6
Louisiana	1,856,954	3 years	2	0	(1)	3	(1)	1	3	0	2	1	2	1	9	0
Maine	777,340	1916	0	1	0	0	0	0	0	2	0	1	0	0	0	1
Maryland	1,373,673	2 years	2	7	(1)	2	1	2	3	0	2	2	2	2	13	22
Massachusetts	3,775,973	3 years	6	14	3	2	6	8	3	9	8	9	8	15	50	38
Michigan	3,094,266	4 years	3	6	3	6	2	7	2	1	2	3	4	2	17	3
Minnesota	2,312,445	5 years	3	2	1	4	1	5	2	6	2	4	6	7	50	11
Mississippi	1,976,570	3 years	6	7	11	3	16	2	10	0	15	5	22	9	24	7
Montana	472,935	3 years	0	0	0	0	0	0	0	1	0	3	(1)	6	4	4
New Jersey	3,014,194	5 years	3	7	2	3	3	9	2	5	1	13	2	15	132	12
New York	10,460,182	5 years	18	16	19	7	14	18	13	18	13	17	86	41	850	44
North Dakota	765,319			0		0		0		0		0		1		0
Ohio	5,212,085	3 years	8	11	6	10	5	7	5	12	3	20	7	25	45	50
Oklahoma	2,289,855	1912	0	1	1	1	0	2	0	0	0	1	0	1	0	9
Oregon	861,992	3 years	0	0	(1)	0	(1)	0	(1)	1	0	0	0	1	0	0
Pennsylvania	8,660,042	2 years	5	13	1	15	2	25	4	14	4	6	6	13	66	56
Rhode Island	625,865			0		0		0		0		0		1		1
South Carolina	1,643,205	3 years	1	0	(1)	2	2	3	0	1	(1)	4	1	1	7	0
South Dakota	716,972	1913	0	0	2	0	1	0	0	0	0	2	0	2	0	2
Texas	4,515,423	1915	0	3	0	0	0	1	0	1	3	1	0	2	0	1
Vermont	364,946	3 years	2	3	(1)	0	0	6	(1)	0	0	0	(1)	44	2	37
Virginia	2,213,025	4 years	17	8	18	8	16	7	22	6	20	3	15	16	25	64
West Virginia	1,412,602			89		13		7		3		1		2		54
Wisconsin	2,527,167	4 years	3	2	0	3	(1)	2	1	3	(1)	3	1	5	7	5
Wyoming	184,970	1916	0	0	0	0	0	0	0	0	0	0	0	0	0	1

State.	Number of cases reported.										Average number of cases per year.	Total cases, 1917.	Total deaths, 1917.	Cases reported per 1,000 inhabitants, 1917.	Indicated fatality rate per 100 cases, 1917.	Indicated death rate per 1,000, 1917.
	August.		September.		October.		November.		December.							
	Average.	1917	Average.	1917	Average.	1917	Average.	1917	Average.	1917						
Alabama	32	7	8	4	4	3	4	3	2	1	97	42	24	0.018	57.14	0.010
Arkansas	.....	2	.....	2	.....	0	.....	0	.....	0	.....	8	14	.....	.....	.....
California	10	11	8	9	12	9	13	8	10	7	85	67	29	.022	43.28	.010
Colorado	2	0	4	2	6	3	0	3	0	0	16	8	1	.008	12.50	.001
Connecticut	76	6	58	2	25	2	8	1	3	0	211	29	18	.023	62.07	.014
District of Columbia	4	4	3	0	2	2	1	0	(1)	0	13	6	2	.016	33.33	.005
Hawaii	(1)	0	0	0	(1)	0	(1)	0	(1)	0	3	2	0	.009	.....	.....
Illinois	46	87	61	324	43	266	19	72	11	14	249	853	236	.137	27.67	.038
Indiana	21	17	21	10	18	12	9	4	4	1	97	69	33	.024	47.83	.012
Iowa	28	21	28	91	16	22	10	3	2	2	101	157	63	.071	40.13	.028
Kansas	13	20	10	23	15	7	6	6	4	0	68	74	17	.040	22.97	.009
Louisiana	4	0	2	2	1	1	3	0	2	2	31	11	56	.....	.....	.....
Maine	15	1	56	0	42	3	30	2	6	0	149	11	3	.014	27.27	.004
Maryland	44	25	55	19	62	7	22	0	2	1	209	89	15	.065	16.85	.011
Massachusetts	113	38	257	16	270	11	76	10	19	4	819	174	52	.046	29.89	.014
Michigan	53	8	59	10	37	16	10	8	6	3	198	73	32	.024	43.84	.010
Minnesota	75	13	53	13	26	6	9	1	2	3	230	75	10	.032	13.33	.004
Mississippi	16	5	11	1	7	4	7	7	11	6	156	56	9	.028	16.07	.005
Montana	9	7	11	3	7	7	3	5	(1)	1	35	37	6	.078	16.22	.013
New Jersey	430	11	199	8	58	4	12	3	4	1	848	91	34	.030	37.36	.011
New York	1,231	59	534	39	203	15	57	15	21	6	3,059	295	94	.028	31.86	.009
North Dakota	.....	7	.....	5	.....	11	.....	10	.....	2	.....	36	6	.047	16.67	.008
Ohio	94	93	103	76	54	31	20	11	8	8	358	354	124	.068	35.03	.024
Oklahoma	2	1	5	2	5	2	1	0	0	0	14	20	9	.009	45.00	.004
Oregon	(1)	4	2	3	8	7	2	2	(1)	2	14	20	1	.023	5.00	.001
Pennsylvania	389	139	422	121	209	72	47	56	17	25	1,172	555	122	.064	21.98	.014
Rhode Island	.....	1	.....	3	.....	2	.....	1	.....	0	.....	9	7	.014	77.78	.011
South Carolina	20	0	8	1	4	1	3	1	2	2	49	16	11	.010	68.75	.007
South Dakota	2	7	1	10	2	7	0	4	0	1	8	35	9	.049	25.71	.013
Texas	0	1	4	1	0	0	1	0	0	0	8	11	21	.....	.....	.....
Vermont	32	43	58	29	31	9	6	1	4	0	136	172	15	.471	8.72	.041
Virginia	31	85	33	43	27	29	25	0	12	0	261	269	.....	.122	.....	.....
West Virginia	.....	72	.....	59	.....	16	.....	10	.....	6	.....	332	38	.235	11.45	.027
Wisconsin	47	6	49	6	28	13	7	5	4	4	148	57	24	.023	42.11	.009
Wyoming	2	0	3	0	0	0	1	0	1	0	7	1	0	.005	.....	.....

[1] Less than 1.

ROCKY MOUNTAIN SPOTTED FEVER.

State.	Estimated population July 1, 1917.	January.		February.		March.		April.		May.		June.		July.	
		Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
California	3,029,032	0	0	0	0	0	0	0	0	1	0	0	0	0	1
Colorado	988,320	0	0	0	0	0	0	0	0	0	1	0	0	5	1
Montana	472,935	0	0	0	0	0	0	0	0	4	5	5	1	5	2
Nevada	110,738	0	0	0	0	0	0	1	0	3	0	5	0	2	2
Oregon	861,992	0	0	0	0	0	0	2	0	2	3	0	2	0	1
Utah	443,866	0	.....	0	.....	0	.....	2	.....	5	.....	6	.....	2	.....
Wyoming	184,970	0	0	0	0	0	0	1	0	1	3	1	6	0	4

State.	August.		September.		October.		November.		December.		Total cases, 1917.	Total deaths, 1917.	Cases reported per 1,000 inhabitants.	Indicated fatality rate per 100 cases.	Indicated death rate per 1,000.
	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.					
California	2	0	0	0	0	0	0	0	0	0	3	1	0.001	33.33	.....
Colorado	0	0	0	0	0	0	0	0	0	0	5	2	.005	40.00	0.002
Montana	0	0	0	0	0	0	0	0	0	0	14	8	.030	57.14	.017
Nevada	0	0	1	0	0	0	0	0	0	0	12	2	.108	16.67	.018
Oregon	0	0	0	0	0	0	0	0	0	0	4	6	.....	.....	.....
Utah	0	.....	0	.....	0	.....	0	.....	0	.....	15	.....	.034	.....	.....
Wyoming	0	0	0	0	0	0	0	0	0	0	3	13	.....	.....	.....

SEPTIC SORE THROAT.

State.	Estimated population July 1, 1917.	January.		February.		March.		April.		May.		June.		July.	
		Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
Connecticut	1,265,373	0	0	0	0	0	0	0	0	1	0	0	0	0	0
Illinois	6,234,995	37	4	59	7	71	11	166	9	1	7	55	4	48	5
Kansas	1,851,870	9	.....	1	.....	4	.....	2	.....	4	.....	2	.....	2	.....
Louisiana	1,856,954	0	2	0	5	0	1	0	1	0	1	0	1	0	2
Maine	777,340	0	0	1	0	3	0	2	0	1	0	0	0	0	0
Maryland	1,373,673	2	5	2	3	7	1	5	4	3	1	0	0	0	0
Massachusetts	3,775,973	20	2	16	10	30	8	62	5	21	4	13	4	27	3
Michigan	3,094,266	0	.....	0	.....	0	.....	1	.....	1	.....	0	.....	0	.....
New York	10,460,182	39	.....	45	.....	22	.....	24	.....	16	.....	9	.....	14	.....
Ohio	5,212,085	0	0	3	0	1	0	0	0	1	0	4	0	0	0
Rhode Island	625,865	3	0	1	0	0	1	0	0	0	0	1	0	0	0
South Carolina	1,643,205	1	.....	0	.....	30	.....	0	.....	3	.....	0	.....	0	.....
Vermont	364,946	222	0	0	1	95	4	3	1	1	1	0	0	46	1
Wisconsin	2,527,167	0	0	8	0	317	8	0	3	0	0	0	0	0	0
Wyoming	184,970	0	0	[illegible]	0	0	0	0	0	0	0	0	0	0	0

State.	August.		September.		October.		November.		December.		Total cases, 1917.	Total deaths, 1917.	Cases reported per 1,000 inhabitants.	Indicated fatality rate per 100 cases.	Indicated death rate per 1,000.
	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.					
Connecticut	0	0	1	0	5	0	1	0	3	0	11	0	0.009	.....	.....
Illinois	13	4	1	1	3	1	2	5	26	4	482	62	.077	12.86	0.010
Kansas	1	.....	1	.....	0	.....	2	.....	2	.....	30	.....	.016	.....	.....
Louisiana	0	0	0	3	2	1	0	2	1	1	3	20	.....	.....	.....
Maine	0	0	0	0	0	0	0	0	0	0	7	0	.009	.....	.....
Maryland	1	2	0	0	2	0	1	0	3	1	26	17	.019	65.39	.012
Massachusetts	36	2	10	2	8	2	10	5	17	7	270	54	.072	20.00	.014
Michigan	0	.....	0	.....	0	.....	8	.....	7	.....	17	.....	.005	.....	.....
New York	9	.....	9	.....	6	.....	38	.....	18	.....	249	.....	.024	.....	.....
Ohio	0	0	0	0	0	0	0	0	1	0	10	0	.002	.....	.....
Rhode Island	1	1	1	1	0	0	0	0	0	0	7	3	.011	42.86	.005
South Carolina	9	.....	2	.....	0	.....	2	.....	3	.....	50	.....	.030	.....	.....
Vermont	0	0	0	0	1	0	0	1	0	0	368	9	1.008	2.45	.025
Wisconsin	0	0	0	0	0	0	0	0	0	0	325	11	.129	3.38	.004
Wyoming	0	0	0	0	0	0	0	0	0	0	5	0	.027	.....	.....

SCARLET FEVER.

State.	Estimated population July 1, 1917.	Averages are for—	Number of cases reported.													
			January.		February.		March.		April.		May.		June.		July.	
			Average.	1917	Average.	1917	Average.	1917	Average.	1917	Average.	1917	Average.	1917	Average.	1917
Alabama	2,363,939	3 years	31	101	37	37	66	28	42	11	33	25	19	37	30	23
Arkansas	1,766,343			27		12		30		2		8		2		6
California	3,029,032	4 years	304	606	260	622	276	535	218	411	219	393	139	258	120	199
Colorado	988,320	2 years	155	87	158	90	117	45	123	56	95	52	69	37	44	21
Connecticut	1,265,373	5 years	245	132	214	116	251	158	217	213	173	140	131	114	70	41
District of Columbia	369,282	5 years	65	58	65	43	64	54	53	57	44	29	30	28	14	15
Hawaii	219,580	5 years	1	0	(1)	0	(1)	0	(1)	0	1	1	(1)	2	2	1
Illinois	6,234,995	3 years	1,433	2,476	1,334	2,660	1,587	3,525	1,327	4,659	1,149	2,308	805	1,340	454	697
Indiana	2,835,492	4 years	580	490	555	548	512	544	416	543	279	443	193	203	106	129
Iowa	2,224,771	4 years	131	112	158	149	199	167	171	130	108	203	35	96	20	79
Kansas	1,851,870	5 years	177	258	186	403	191	516	137	495	125	455	51	150	47	78
Louisiana	1,856,954	3 years	16	16	12	14	14	9	17	9	13	13	8	13	4	5
Maine	777,340	1916	6	13	13	13	10	8	13	16	10	9	3	7	30	3
Maryland	1,373,673	2 years	359	154	266	131	265	133	237	136	186	120	135	66	92	39
Massachusetts	3,775,973	3 years	854	672	761	597	827	721	671	652	615	567	403	412	214	241
Michigan	3,094,266	4 years	487	1,518	481	1,602	522	1,385	458	2,057	318	1,493	239	836	127	384
Minnesota	2,312,445	5 years	444	366	487	343	635	320	581	377	392	310	253	278	127	162
Mississippi	1,976,570	3 years	38	29	52	31	15	24	25	45	29	27	23	22	18	19
Montana	472,935	4 years	67	121	58	74	78	83	88	93	72	97	43	78	26	55
Nevada	110,738	2 years	28	12	23	6	24	12	15	0	16	8	6	7	8	14
New Jersey	3,014,194	5 years	583	542	559	581	685	742	618	549	525	560	434	357	192	170
New York	10,460,182	5 years	1,840	1,450	1,962	1,706	2,471	2,237	2,285	2,426	2,057	1,745	1,334	1,079	685	575
North Dakota	765,319			37		62		88		87		48		32		15
Ohio	5,212,085	3 years	1,100	1,220	947	1,066	924	1,308	834	1,195	592	1,147	387	608	233	331
Oklahoma	2,289,855	3 years	163	122	129	317	137	79	66	58	49	74	41	21	37	13
Oregon	861,992	5 years	49	122	48	110	55	133	56	114	55	129	36	64	32	32
Pennsylvania	8,660,042	2 years	872	941	807	824	926	839	922	862	791	829	553	569	326	357
Porto Rico	1,231,880	1914	2	0	0	0	0	0	0	0	0	0	1	0	0	1
Rhode Island	625,865	2 years	115	64	97	48	138	71	117	45	116	67	68	27	42	30
South Carolina	1,643,205	4 years	20	14	12	4	11	6	12	12	4	12	13	4	16	15
South Dakota	716,972	2 years	57	82	70	101	87	98	48	85	54	77	14	66	21	28
Texas	4,515,423	1915	85	160	142	110	79	75	67	55	36	37	61	66	46	56
Utah	443,866	4 years	129	321	141	307	109	266	70	241	74	203	39	156	33	73
Vermont	364,946	3 years	49	86	31	239	55	101	48	81	51	75	37	36	29	58
Virginia	2,213,025	4 years	254	165	183	128	123	63	95	45	63	33	50	73	45	26
Washington	1,597,400	4 years	85	120	78	98	80	120	66	88	52	68	34	96	31	37
West Virginia	1,412,602			70		47		52		38		30		14		19
Wisconsin	2,527,167	4 years	360	730	289	924	427	1,329	400	881	270	890	172	472	128	235
Wyoming	184,970	4 years	15	10	22	13	16	35	14	43	16	65	3	24	5	23

State.	Number of cases reported.										Average number of cases per year.	Total cases, 1917.	Total deaths, 1917.	Cases reported per 1,000 inhabitants, 1917.	Indicated fatality rate per 100 cases, 1917.	Indicated death rate per 1,000, 1917
	August.		September.		October.		November.		December.							
	Average.	1917	Average.	1917	Average.	1917	Average.	1917	Average.	1917						
Alabama	53	47	84	106	108	147	85	139	47	120	635	821	295	0.347	35.93	0.125
Arkansas	.....	28	.....	11	.....	27	.....	35	.....	66	.....	254	14	.144	5.51	.008
California	109	166	147	200	308	386	359	327	369	319	2,828	4,422	49	1.460	1.11	.016
Colorado	28	21	29	27	55	65	83	87	126	124	1,082	712	12	.720	1.69	.012
Connecticut	45	41	63	57	104	124	142	217	174	175	1,829	1,528	17	1.208	1.11	.013
District of Columbia	11	9	19	39	32	61	37	70	56	121	490	584	8	1.582	1.37	.022
Hawaii	2	2	(1)	0	1	1	(1)	0	(1)	0	11	7	1	.032	14.29	.005
Illinois	362	351	388	528	714	401	965	232	1,016	648	11,534	19,825	791	3.180	3.99	.127
Indiana	106	71	200	170	401	384	500	560	478	747	4,326	4,832	143	1.704	2.96	.050
Iowa	18	30	33	42	66	112	74	184	95	262	1,108	1,566	70	.704	4.47	.031
Kansas	39	72	60	73	161	232	191	341	202	417	1,567	3,490	54	1.885	1.55	.029
Louisiana	9	10	16	18	24	32	35	35	26	21	194	195	6	.105	3.08	.003
Maine	35	5	38	17	12	13	13	11	32	30	215	145	5	.187	3.45	.006
Maryland	49	31	85	73	128	151	195	166	192	145	2,189	1,345	22	.979	1.64	.016
Massachusetts	173	145	233	248	418	440	567	587	919	671	6,655	5,953	118	1.577	1.98	.031
Michigan	116	244	180	314	294	476	403	625	516	793	4,141	11,727	322	3.790	2.75	.104
Minnesota	107	148	115	147	205	189	259	285	339	406	3,944	3,331	89	1.441	2.67	.038
Mississippi	30	50	56	56	74	98	51	89	58	54	469	544	9	.275	1.65	.005
Montana	21	56	26	67	39	184	54	265	52	262	624	1,435	79	3.034	5.51	.167
Nevada	3	5	2	7	8	13	42	10	23	19	198	113	5	1.021	4.42	.045
New Jersey	120	103	133	152	229	291	327	370	408	359	4,804	4,776	49	1.585	1.03	.016
New York	381	276	425	436	663	810	927	1,194	1,264	1,300	16,294	15,234	261	1.456	1.71	.025
North Dakota	.....	22	.....	12	.....	35	.....	20	.....	71	.....	529	1	.691	.19	.001
Ohio	241	215	438	370	839	679	1,047	894	1,040	813	8,622	9,846	197	1.889	2.00	.038
Oklahoma	71	20	113	93	149	114	214	261	197	142	1,366	1,314	12	.574	.91	.005
Oregon	15	32	19	30	39	40	64	75	63	65	531	946	14	1.097	1.48	.016
Pennsylvania	296	295	358	386	623	763	857	885	929	894	8,260	8,444	216	.975	2.56	.025
Porto Rico	0	0	0	0	0	0	0	0	0	0	3	1	0	.001	.....	.....
Rhode Island	30	10	37	29	92	47	104	48	75	52	1,031	538	29	.860	5.39	.046
South Carolina	15	3	59	38	58	26	42	43	23	11	285	188	8	.114	4.26	.005
South Dakota	6	29	15	20	27	77	21	77	31	55	451	795	4	1.109	.50	.006
Texas	35	21	98	43	321	80	417	164	324	350	1,711	1,217	52	.270	4.27	.012
Utah	23	30	33	56	62	184	96	297	90	261	899	2,395	38	5.396	1.59	.086
Vermont	24	21	19	15	33	47	41	74	57	62	474	895	19	2.452	2.12	.052
Virginia	83	41	149	65	278	104	345	126	248	101	1,916	970	.....	.438	.....	.....
Washington	29	36	34	58	70	66	86	123	84	106	729	1,016	20	.636	1.97	.013
West Virginia	.....	27	.....	61	.....	64	.....	105	.....	59	.....	586	21	.415	3.58	.015
Wisconsin	85	151	94	190	171	330	259	445	318	461	2,973	7,038	228	2.785	3.24	.090
Wyoming	7	10	8	15	12	35	5	42	9	72	132	388	14	2.098	3.61	.076

[1] Less than 1.

SMALLPOX.

State.	Estimated population July 1, 1917.	Averages are for—	Number of cases reported.													
			January.		February.		March.		April.		May.		June.		July.	
			Average.	1917	Average.	1917	Average.	1917	Average.	1917	Average.	1917	Average.	1917	Average.	1917
Alabama	2,363,939	3 years	106	73	115	28	104	32	84	55	63	71	53	50	28	18
Arkansas	1,766,343			156		232		571		251		245		91		28
California	3,029,032	4 years	75	40	76	64	65	62	76	24	50	18	30	23	20	14
Colorado	988,320	3 years	34	1	33	1	34	19	22	10	35	18	31	15	27	9
Connecticut	1,265,373	4 years	6	90	9	62	5	108	4	39	5	55	5	55	2	6
District of Columbia	369,282	4 years	11	0	7	0	16	0	3	1	16	2	11	0	4	0
Illinois	6,234,995	2 years	378	556	325	910	607	526	323	657	303	811	177	411	120	312
Indiana	2,835,492	4 years	304	498	371	540	451	477	380	497	334	360	251	229	109	154
Iowa	2,224,771	3 years	346	193	338	107	434	155	342	173	250	276	137	165	56	121
Kansas	1,851,870	4 years	186	126	217	189	306	305	268	243	221	290	152	231	61	93
Louisiana	1,856,954	3 years	93	155	82	130	78	123	102	69	39	102	18	35	16	44
Maine	777,340			0		0		0		5		12		44		52
Maryland	1,373,673	2 years	13	0	10	3	1	7	24	7	21	6	4	1	6	0
Massachusetts	3,775,973	2 years	5	2	3	2	13	5	14	5	6	27	26	10	3	1
Michigan	3,094,266	4 years	188	191	157	142	178	146	143	291	130	253	114	213	81	131
Minnesota	2,312,445	4 years	315	200	279	249	255	332	243	248	166	274	112	279	79	168
Mississippi	1,976,570	3 years	223	196	265	92	232	155	261	221	163	170	80	129	36	66
Montana	472,935	3 years	109	193	102	139	95	87	104	68	82	77	84	89	56	60
Nevada	110,738	2 years	51	4	19	7	13	0	20	0	48	1	14	6	2	1
New Jersey	3,014,194	4 years	8	2	3	0	17	2	22	0	4	1	5	1	0	0
New York	10,460,182	4 years	109	2	91	4	42	4	49	13	37	33	24	25	20	15
North Dakota	765,319	1913	16	28	18	41	36	62	66	87	10	43	13	76	39	21
Ohio	5,212,085	4 years	426	199	370	214	394	338	361	422	301	516	265	445	139	351
Oklahoma	2,289,855	2 years	614	222	420	264	504	434	366	345	250	331	151	290	111	131
Oregon	861,992	4 years	82	13	84	4	69	20	65	28	43	29	42	11	33	4
Pennsylvania	8,660,042	1916	9	13	5	12	19	20	14	44	10	60	6	39	14	22
Porto Rico	1,231,880			1		11		13		40		8		1		4
South Carolina	1,643,205	4 years	77	6	51	12	68	15	86	2	47	3	35	22	18	7
South Dakota	716,972	2 years	130	91	171	80	170	189	161	87	101	102	51	132	21	83
Texas	4,515,423	2 years	285	132	282	131	354	199	294	153	187	117	122	69	79	32
Utah	443,866	3 years	256	40	233	62	179	40	145	61	109	96	70	108	57	52
Vermont	364,946	4 years	24	0	16	0	12	2	20	5	16	38	11	7	13	5
Virginia	2,213,025	4 years	293	72	226	145	229	145	213	57	144	105	97	32	66	24
Washington	1,597,400	4 years	121	52	89	23	113	34	104	32	93	59	79	35	42	20
West Virginia	1,412,602			5		4		8		40		21		30		37
Wisconsin	2,527,167	4 years	333	92	257	53	232	130	237	89	158	158	106	94	69	115
Wyoming	184,970	4 years	10	1	21	1	7	9	2	0	11	4	8	2	11	5

State.	Number of cases reported.										Average number of cases per year.	Total cases, 1917.	Total deaths, 1917.	Cases reported per 1,000 inhabitants, 1917.	Indicated fatality rate per 100 cases, 1917.	Indicated death rate per 1,000, 1917.
	August.		September.		October.		November.		December.							
	Average.	1917	Average.	1917	Average.	1917	Average.	1917	Average.	1917						
Alabama	15	16	3	17	7	63	17	44	24	169	619	636	3	0.269	0.47	0.001
Arkansas	.....	20	.....	13	.....	44	.....	93	.....	272	.....	2,016	5	1.141	.25	.003
California	24	11	17	26	16	16	28	16	35	15	512	329	13	.109	3.95	.004
Colorado	7	14	8	11	19	35	14	117	13	73	277	323	1	.327	.31	.001
Connecticut	(1)	1	3	2	28	3	19	1	33	1	120	423	0	.334	.....	.....
District of Columbia	1	0	1	0	(1)	0	3	3	3	5	77	11	0	.030	.....	.....
Illinois	52	114	53	146	192	168	325	93	375	292	3,230	4,996	10	.801	.20	.002
Indiana	86	91	72	53	96	200	239	585	247	908	2,940	4,593	13	1.620	.29	.005
Iowa	11	31	25	25	45	128	101	288	170	465	2,255	2,127	11	.956	.52	.005
Kansas	21	24	22	47	61	127	152	402	176	546	1,843	2,623	4	1.416	.15	.002
Louisiana	9	12	4	8	11	32	44	27	89	98	585	835	4	.450	.48	.002
Maine	.....	12	.....	7	.....	41	.....	228	.....	199	.....	600	0	.772	.....	.....
Maryland	(1)	0	(1)	0	0	0	(1)	22	(1)	52	81	98	1	.071	1.02	.001
Massachusetts	3	1	3	1	6	0	10	1	2	10	94	65	10	.017	15.39	.003
Michigan	34	51	28	66	76	236	139	465	156	744	1,424	2,929	8	.947	.27	.003
Minnesota	38	71	27	73	63	223	101	245	245	356	1,923	2,718	20	1.175	.74	.009
Mississippi	43	37	59	22	59	64	83	82	174	296	1,678	1,530	3	.774	.20	.002
Montana	26	62	16	78	37	74	76	210	70	255	857	1,392	5	2.943	.36	.011
Nevada	(1)	1	0	0	(1)	2	1	0	3	0	172	22	0	.199	.....	.....
New Jersey	(1)	0	(1)	0	(1)	0	1	0	1	0	62	6	0	.002	.....	.....
New York	8	4	10	2	8	97	28	28	25	106	451	333	4	.032	1.20	.....
North Dakota	13	8	5	30	67	31	39	36	73	102	395	565	0	.738	.....	.....
Ohio	79	134	49	178	150	510	263	800	326	1,135	3,123	5,242	9	1.006	.17	.002
Oklahoma	64	69	53	87	51	170	103	216	139	998	2,826	3,557	11	1.553	.31	.005
Oregon	17	1	9	1	12	1	58	3	30	7	544	122	0	.142	.....	.....
Pennsylvania	1	13	4	13	2	20	6	62	7	62	97	380	6	.044	1.58	.001
Porto Rico	.....	0	.....	3	.....	1	.....	3	.....	0	.....	85	2	.069	2.35	.002
South Carolina	12	1	4	1	8	24	13	20	31	1	450	114	0	.069	.....	.....
South Dakota	22	29	20	20	22	48	21	241	53	205	943	1,307	9	1.823	.69	.013
Texas	14	34	18	26	36	24	75	175	155	258	1,901	1,350	148	.299	10.96	.033
Utah	33	35	50	49	57	82	81	105	76	170	1,346	900	4	2.028	.44	.009
Vermont	8	0	1	0	2	0	3	0	5	9	131	66	0	.181	.....	.....
Virginia	41	18	26	5	34	56	65	8	108	59	1,542	726	.....	.328	.....	.....
Washington	24	30	22	15	31	26	47	13	50	51	815	390	1	.244	.26	.001
West Virginia	.....	21	.....	20	.....	36	.....	95	.....	96	.....	413	0	.292	.....	.....
Wisconsin	61	62	40	18	91	101	160	113	265	225	2,009	1,250	3	.495	.24	.001
Wyoming	4	17	2	2	3	8	3	10	3	6	85	65	0	.351	.....	.....

[1] Less than 1.

TUBERCULOSIS (PULMONARY).

State.	Estimated population July 1, 1917.	Number of cases reported.													
		January.		February.		March.		April.		May.		June.		July.	
		1916	1917	1916	1917	1916	1917	1916	1917	1916	1917	1916	1917	1916	1917
Alabama	2,363,939	229	259	216	285	278	329	291	347	264	287	247	288	254	283
Hawaii	219,580	88	83	120	77	89	68	69	61	68	74	60	86	39	83
Illinois	6,234,995	.....	59	.....	1,235	.....	1,204	.....	973	.....	834	.....	1,089	.....	1,306
Indiana	2,835,492	202	292	252	314	241	360	225	327	203	345	233	269	223	232
Maryland	1,373,673	229	304	279	239	280	299	268	275	357	334	289	236	288	358
Massachusetts	3,775,973	667	711	685	652	702	698	647	725	722	699	689	736	730	821
Minnesota	2,312,445	316	431	326	386	406	394	386	440	399	485	397	426	275	417
Montana	472,935	14	35	27	40	13	12	44	14	30	23	29	9	17	12
Nevada	110,738	.....	4	.....	2	.....	9	.....	8	.....	6	.....	5	.....	9
New York	10,460,182	2,348	2,934	2,576	2,251	2,960	2,952	2,786	2,141	2,754	2,258	2,973	2,302	2,292	2,413
North Dakota	765,319	.....	5	.....	13	.....	8	.....	7	.....	20	.....	21	.....	26
Rhode Island	625,865	73	58	61	64	77	94	77	102	78	89	83	100	68	89
South Carolina	1,643,205	.....	40	.....	28	.....	23	.....	17	.....	24	.....	27	.....	30
South Dakota	716,972	.....	13	.....	8	.....	10	.....	35	.....	7	.....	14	.....	20
Utah	443,866	.....	5	.....	6	.....	5	.....	6	.....	7	.....	4	.....	3
Vermont	364,946	13	24	17	5	19	15	18	15	66	11	27	44	31	25
Washington	1,597,400	72	153	98	83	123	103	114	139	64	101	87	118	76	87
West Virginia	1,412,602	.....	34	.....	24	.....	40	.....	27	.....	34	.....	35	.....	10

State.	Number of cases reported.										Total cases, 1916.	Total cases, 1917.	Total deaths, 1917.	Cases reported per 1,000 inhabitants, 1917.	Number of cases reported for each death registered, 1917	Indicated death rate per 1,000, 1917.
	August.		September.		October.		November.		December.							
	1916	1917	1916	1917	1916	1917	1916	1917	1916	1917						
Alabama	242	264	189	224	215	221	179	173	205	209	2,809	3,169	2,688	1.341	1.18	1.137
Hawaii	40	85	50	65	62	85	73	57	97	80	855	904	394	4.117	2.29	1.794
Illinois	.....	1,237	.....	1,239	.....	444	.....	1,552	.....	1,538	.....	12,710	7,114	2.038	1.79	1.141
Indiana	209	250	190	236	181	209	132	248	173	185	2,455	3,267	3,433	.....	.....	1.211
Maryland	324	274	284	240	222	226	223	196	244	225	3,287	3,206	2,564	2.334	1.25	1.867
Massachusetts	624	693	622	634	532	687	540	702	718	607	7,878	8,365	4,638	2.215	1.80	1.228
Minnesota	392	346	304	440	342	394	257	328	352	319	4,152	4,806	1,849	2.078	2.60	.800
Montana	27	15	44	18	25	20	11	31	8	16	289	245	383	.....	.....	.810
Nevada	.....	4	.....	3	.....	5	.....	4	.....	5	.....	64	44	.578	1.45	.397
New York	2,409	2,714	2,268	1,905	2,050	2,353	2,229	2,112	2,227	1,745	29,872	28,080	14,739	2.684	1.91	1.409
North Dakota	.....	17	.....	11	.....	16	.....	11	.....	19	.....	174	264	.....	.....	.345
Rhode Island	86	37	71	61	70	46	52	54	63	54	859	848	836	1.355	1.01	1.336
South Carolina	.....	12	.....	17	.....	11	.....	19	.....	19	.....	267	1,623	.....	.....	.988
South Dakota	.....	12	.....	7	.....	9	.....	7	.....	4	.....	146	91	.204	1.60	.127
Utah	.....	4	.....	7	.....	6	.....	2	.....	5	.....	60	154	.....	.....	.347
Vermont	44	8	21	11	16	13	17	24	31	67	320	262	269	.....	.....	.737
Washington	120	27	75	115	70	77	84	80	99	90	1,082	1,173	1,008	.734	1.16	.631
West Virginia	.....	32	.....	25	.....	28	.....	36	.....	43	.....	368	478	.....	.....	.338

TUBERCULOSIS (ALL FORMS).

State.	Estimated population July 1, 1917.	Number of cases reported.													
		January.		February.		March.		April.		May.		June.		July.	
		1916	1917	1916	1917	1916	1917	1916	1917	1916	1917	1916	1917	1916	1917
Arkansas	1,766,343	.....	32	.....	66	.....	43	.....	29	.....	64	.....	54	.....	94
California	3,029,032	601	683	566	563	838	592	483	647	644	644	473	457	408	439
Connecticut	1,265,373	.....	137	.....	156	.....	130	.....	158	.....	173	.....	149	.....	152
District of Columbia	369,282	79	88	87	73	107	83	101	86	112	73	82	85	97	94
Hawaii	219,580	100	87	120	81	101	71	69	67	79	74	60	94	58	90
Illinois	6,234,995	.....	113	.....	1,250	.....	1,211	.....	1,003	.....	866	.....	1,160	.....	1,313
Indiana	2,835,492	.....	330	.....	362	.....	408	.....	377	.....	380	.....	338	.....	264
Kansas	1,851,870	103	154	136	115	117	178	97	127	138	152	146	107	126	113
Louisiana	1,856,954	.....	23	.....	215	.....	213	.....	183	.....	164	.....	174	.....	201
Maine	777,340	.....	52	.....	22	.....	24	.....	36	.....	79	.....	68	.....	43
Massachusetts	3,775,973	716	773	728	724	759	765	715	780	783	767	745	801	798	886
Michigan	3,094,266	264	540	579	495	524	551	604	562	651	540	554	519	541	245
Minnesota	2,312,445	362	458	376	410	455	429	426	483	449	520	447	459	322	440
Mississippi	1,976,570	.....	513	.....	588	.....	620	.....	594	.....	724	.....	538	.....	647
New Jersey	3,014,194	834	785	735	657	983	859	964	726	886	764	825	679	737	698
New York	10,460,182	2,398	2,997	2,694	2,319	3,021	3,015	2,849	2,197	2,820	2,321	3,038	2,366	2,355	2,475
North Dakota	765,319	.....	6	.....	14	.....	10	.....	14	.....	21	.....	22	.....	26
Ohio	5,212,085	538	517	593	567	688	689	619	637	535	630	548	588	510	561
Oklahoma	2,289,855	.....	54	.....	54	.....	72	.....	42	.....	40	.....	46	.....	34
Oregon	861,992	50	36	47	28	52	89	50	62	29	63	27	72	30	72
Pennsylvania	8,660,042	1,136	1,036	941	769	982	1,253	1,125	1,147	1,074	1,061	964	1,104	1,003	1,015
Porto Rico	1,231,880	.....	59	.....	63	.....	66	.....	73	.....	71	.....	82	.....	68
Rhode Island	625,863	75	61	63	68	83	103	82	105	84	96	87	101	70	91
South Dakota	716,972	.....	13	.....	9	.....	12	.....	36	.....	7	.....	14	.....	20
Texas	4,515,423	.....	147	.....	88	.....	106	.....	84	.....	69	.....	78	.....	55
Virginia	2,213,025	352	290	297	300	361	363	337	296	368	263	309	260	204	236
West Virginia	1,412,602	.....	35	.....	24	.....	41	.....	28	.....	35	.....	35	.....	10
Wisconsin	2,527,167	178	163	119	115	177	200	53	191	129	263	151	204	143	229

State.	Number of cases reported.										Total cases, 1916.	Total cases, 1917.	Total deaths, 1917.	Cases reported per 1,000 inhabitants, 1917.	Number of cases reported for each death registered, 1917.	Indicated death rate per 1,000, 1917.
	August.		September.		October.		November.		December.							
	1916	1917	1916	1917	1916	1917	1916	1917	1916	1917						
Arkansas	.....	47	.....	43	.....	24	.....	15	.....	86	.....	597	1,084	.....	.....	0.614
California	647	623	618	564	548	700	637	497	517	608	6,980	7,017	5,450	2.317	1.29	1.799
Connecticut	.....	153	.....	140	.....	152	.....	161	.....	134	.....	1,795	2,032	.....	.....	1.606
District of Columbia	94	94	78	78	76	91	80	89	68	69	1,061	1,003	.....	2.716	.....	.....
Hawaii	48	88	56	68	63	87	99	61	104	83	957	951	460	4.331	2.07	2.095
Illinois	.....	1,258	.....	1,245	.....	448	.....	1,559	.....	2,573	.....	13,999	8,065	2.245	1.74	1.294
Indiana	.....	304	.....	273	.....	251	.....	367	.....	221	.....	3,875	3,977	.....	.....	1.403
Kansas	146	115	109	105	73	117	87	130	85	114	1,363	1,527	1,018	.825	1.50	.550
Louisiana	.....	127	.....	122	.....	139	.....	130	.....	188	.....	1,879	2,784	.....	.....	1.499
Maine	.....	34	.....	43	.....	37	.....	32	.....	33	.....	503	878	.....	.....	1.129
Massachusetts	687	760	674	691	578	740	593	787	761	667	8,537	9,141	5,402	2.421	1.69	1.431
Michigan	846	282	695	79	604	233	509	196	705	614	7,076	4,856	3,199	1.570	1.52	1.034
Minnesota	427	390	324	465	379	418	294	345	388	349	4,649	5,166	2,353	2.234	2.20	1.018
Mississippi	.....	652	.....	592	.....	514	.....	438	.....	432	.....	6,852	2,743	3.467	2.50	1.388
New Jersey	638	696	520	564	652	671	680	559	563	519	9,017	8,177	4,617	2.713	1.77	1 532
New York	2,457	2,758	2,303	1,939	2,093	2,382	2,256	2,142	2,256	1,775	30,540	28,686	16,556	2.742	1.73	1.583
North Dakota	.....	19	.....	16	.....	18	.....	12	.....	21	.....	199	288	.....	.....	.376
Ohio	407	477	383	466	378	490	408	434	390	398	5,997	6,454	7,453	.....	.....	1.430
Oklahoma	.....	32	.....	33	.....	22	.....	52	.....	20	.....	501	654	.....	.....	.286
Oregon	34	61	31	42	34	48	32	53	31	58	447	684	595	.794	1.15	.690
Pennsylvania	1,010	1,009	859	731	744	858	721	834	746	793	11,305	11,610	11,513	1.341	1.01	1.329
Porto Rico	.....	66	.....	99	.....	116	.....	85	.....	103	.....	951	2,707	.....	.....	2.197
Rhode Island	90	43	79	67	75	48	54	57	66	58	908	898	1,015	.....	.....	1.622
South Dakota	.....	14	.....	7	.....	13	.....	8	.....	4	.....	157	98	.219	1.60	.137
Texas	.....	103	.....	19	.....	147	.....	149	.....	194	.....	1,239	3,917	.....	.....	.867
Virginia	287	290	317	269	234	190	231	232	287	168	3,584	3,157	.....	1.427	.....	.....
West Virginia	.....	33	.....	25	.....	28	.....	36	.....	44	.....	374	531	.....	.....	.376
Wisconsin	152	274	88	126	101	128	130	114	76	156	1,497	2,103	2,397	.....	.....	.948

TYPHOID FEVER.

State.	Estimated population July 1, 1917.	Averages are for—	Number of cases reported.													
			January.		February.		March.		April.		May.		June.		July.	
			Average.	1917	Average.	1917	Average.	1917	Average.	1917	Average.	1917	Average.	1917	Average.	1917
Alabama	2,363,939	3 years	70	112	60	90	41	79	46	121	93	189	309	313	595	516
Arkansas	1,766,343			22		40		23		25		56		49		133
California	3,029,032	4 years	91	134	74	57	79	61	98	53	102	70	110	82	167	155
Colorado	988,320	2 years	25	21	10	5	11	6	16	28	13	21	22	27	65	32
Connecticut	1,265,373	5 years	26	9	25	11	25	9	31	18	38	23	47	26	70	46
District of Columbia	369,282	5 years	20	11	15	7	14	9	16	13	17	10	26	15	40	26
Hawaii	219,580	5 years	10	12	15	17	18	10	15	16	14	13	20	12	15	8
Illinois	6,234,995	3 years	287	115	253	132	213	109	176	253	182	91	196	73	359	186
Indiana	2,835,492	4 years	108	130	105	74	113	83	104	89	85	71	106	60	240	131
Kansas	1,851,870	5 years	36	41	37	27	35	64	31	62	32	57	47	69	180	277
Louisiana	1,856,954	3 years	48	41	29	42	18	28	31	74	58	103	86	242	100	340
Maine	777,340	1916	24	14	11	12	2	9	9	11	6	17	3	10	22	17
Maryland	1,373,673	2 years	116	86	75	63	74	78	82	74	105	79	137	91	273	180
Massachusetts	3,775,973	3 years	108	68	84	45	72	69	86	111	99	66	112	104	161	109
Michigan	3,094,266	4 years	120	174	127	113	118	94	121	88	96	69	111	149	157	133
Minnesota	2,312,445	5 years	68	53	80	46	64	60	50	39	43	44	65	39	81	69
Mississippi	1,976,570	3 years	280	189	194	190	171	144	146	188	295	308	656	495	997	829
Montana	472,935	4 years	22	131	26	44	21	31	21	68	24	29	19	28	33	27
Nevada	110,738	2 years	10	2	2	0	4	5	6	1	7	1	11	4	16	2
New Jersey	3,014,194	5 years	67	73	55	39	57	53	60	53	77	44	76	54	127	71
New York	10,460,182	5 years	307	257	245	308	246	255	329	211	315	225	284	227	433	325
North Dakota	765,319			8		5		7		26		24		24		7
Ohio	5,212,085	3 years	270	162	215	153	171	188	189	192	247	173	277	152	382	204
Oklahoma	2,289,855	3 years	83	72	46	76	41	22	70	27	54	33	155	92	314	246
Oregon	861,992	5 years	13	12	15	17	18	14	12	4	12	5	13	11	16	27
Pennsylvania	8,660,042	2 years	539	370	359	289	450	314	292	307	335	263	364	338	531	410
Porto Rico	1,231,880	2 years	43	2	24	1	50	13	39	25	34	27	27	22	38	15
Rhode Island	625,865	2 years	10	0	11	2	15	1	13	7	19	5	14	18	21	18
South Carolina	1,643,205	4 years	27	12	14	15	26	11	28	19	67	41	202	163	230	92
South Dakota	716,972	2 years	2	6	11	4	5	4	2	12	3	5	2	4	9	5
Texas	4,515,423	1915	29	45	24	41	14	34	60	22	39	36	109	72	168	147
Utah	443,866	4 years	13	8	13	5	29	12	22	11	25	11	41	37	71	41
Vermont	364,946	3 years	17	7	17	6	17	13	20	20	8	10	8	5	7	18
Virginia	2,213,025	5 years	173	76	145	67	102	66	122	82	173	84	375	199	679	610
Washington	1,597,400	4 years	42	44	32	23	32	41	30	34	28	65	37	61	59	82
West Virginia	1,412,602			71		74		17		63		81		106		160
Wisconsin	2,527,167	4 years	41	47	61	30	90	52	51	83	38	38	42	23	41	22
Wyoming	184,970	4 years	1	23	3	6	5	2	2	0	3	11	3	3	4	6

State.	Number of cases reported.										Average number of cases per year.	Total cases, 1917.	Total deaths, 1917.	Cases reported per 1,000 inhabitants, 1917.	Indicated fatality rate per 100 cases, 1917.	Indicated death rate per 1,000, 1917.
	August.		September.		October.		November.		December.							
	Average.	1917	Average.	1917	Average.	1917	Average.	1917	Average.	1917						
Alabama	433	831	254	593	195	474	124	237	84	101	2,304	3,656	898	1.547	24.56	0.380
Arkansas	.....	128	.....	122	.....	87	.....	48	.....	41	.....	774	264	.438	34.11	.149
California	174	228	144	176	161	198	102	95	104	109	1,406	1,418	220	.468	15.52	.073
Colorado	86	69	114	87	133	76	68	34	27	14	590	420	88	.425	20.95	.089
Connecticut	161	73	166	126	105	71	93	57	39	39	826	508	112	.401	22.05	.089
District of Columbia	82	68	71	81	49	54	38	32	23	12	411	338	49	.915	14.50	.133
Hawaii	15	7	15	24	14	108	17	70	16	27	184	324	58	1.476	17.90	.264
Illinois	506	405	661	637	651	193	529	94	322	55	4,335	2,343	520	.376	22.19	.083
Indiana	574	366	448	570	370	246	249	112	160	34	2,662	1,966	497	.693	25.28	.175
Kansas	309	493	275	540	263	492	175	315	119	97	1,539	2,534	329	1.368	12.98	.178
Louisiana	85	239	67	134	92	153	83	71	121	116	818	1,583	518	.852	32.72	.279
Maine	50	13	76	19	32	22	33	10	48	15	316	169	82	.217	48.52	.105
Maryland	581	473	602	606	431	361	260	175	197	75	2,933	2,341	247	1.704	10.55	.180
Massachusetts	319	246	392	264	289	246	168	120	110	98	2,000	1,546	178	.409	11.51	.047
Michigan	301	168	350	212	277	179	158	137	117	53	2,053	1,569	388	.507	24.73	.125
Minnesota	167	62	188	106	182	118	111	57	77	50	1,176	743	99	.321	13.32	.043
Mississippi	1,066	970	792	890	665	574	519	364	343	192	6,124	5,333	554	2.698	10.38	.280
Montana	60	32	76	45	71	63	40	37	22	3	435	538	77	1.138	14.31	.163
Nevada	25	14	33	12	24	17	11	12	8	7	157	77	15	.695	19.48	.135
New Jersey	274	201	303	259	230	164	126	88	87	52	1,539	1,151	191	.382	16.59	.063
New York	781	558	994	867	830	541	457	307	379	212	5,600	4,293	591	.410	13.77	.056
North Dakota	.....	20	.....	34	.....	39	.....	23	.....	14	.....	231	.....	.302	.....	.....
Ohio	616	517	858	684	663	413	386	192	249	97	4,523	3,127	690	.600	22.07	.132
Oklahoma	430	176	337	264	262	296	166	187	114	103	2,072	1,594	360	.696	22.58	.157
Oregon	36	24	30	53	42	87	26	64	29	14	262	332	83	.385	25.00	.096
Pennsylvania	959	691	1,381	1,025	1,430	673	507	273	373	110	7,520	5,063	892	.585	17.62	.103
Porto Rico	34	18	47	26	31	17	18	16	30	23	415	205	181	.166	88.29	.147
Rhode Island	35	44	44	24	54	24	29	8	22	6	287	157	33	.251	21.02	.053
South Carolina	176	40	157	105	80	46	43	40	23	3	1,073	587	444	.357	75.64	.270
South Dakota	16	9	31	8	28	31	20	12	13	3	142	103	13	.144	12.62	.018
Texas	129	149	116	175	147	223	138	192	65	120	1,038	1,256	868	.278	69.11	.192
Utah	92	63	133	121	104	87	71	55	27	19	641	470	61	1.059	12.98	.137
Vermont	34	12	45	20	47	14	23	6	13	9	256	140	23	.384	16.43	.063
Virginia	997	957	734	644	545	307	342	227	185	108	4,572	3,427	.....	1.549	.....	.....
Washington	119	126	137	139	104	171	61	135	44	62	725	983	120	.615	12.20	.075
West Virginia	.....	329	.....	298	.....	165	.....	120	.....	45	.....	1,529	164	1.082	10.73	.116
Wisconsin	51	36	57	43	80	47	54	43	51	22	657	486	133	.192	27.37	.053
Wyoming	8	9	10	18	7	18	7	0	5	7	58	103	42	.557	40.78	.227

TYPHUS FEVER.

State.	Estimated population July 1, 1917.	Number of cases reported.													
		January.		February.		March.		April.		May.		June.		July.	
		1916	1917	1916	1917	1916	1917	1916	1917	1916	1917	1916	1917	1916	1917
California	3,029,032	0	1	0	0	0	0	0	0	0	0	1	1	3	0
Colorado	988,320	0	0	0	0	0	0	0	0	0	0	1	1	0	0
Mississippi	1,976,570	.....	0	.....	0	.....	0	.....	0	.....	0	.....	0	.....	0
New York	10,460,182	2	1	0	0	1	3	1	0	0	1	2	0	0	2
Texas	4,515,423	.....	17	.....	3	.....	10	.....	0	.....	1	.....	1	.....	0

State.	Number of cases reported.										Total cases, 1916.	Total cases, 1917.	Total deaths, 1917.	Cases reported per 1,000 inhabitants, 1917.	Indicated fatality rate per 100 cases, 1917.
	August.		September.		October.		November.		December.						
	1916	1917	1916	1917	1916	1917	1916	1917	1916	1917					
California	2	0	16	1	4	0	2	0	0	0	28	3	0	0.0010	.....
Colorado	1	0	1	0	1	0	3	0	3	0	10	1	0	.0010	.....
Mississippi	.....	1	.....	0	.....	1	.....	0	.....	1	.....	3	0	.0015	.....
New York	1	1	2	0	8	3	1	1	3	1	21	13	3	.0012	23.08
Texas	.....	0	.....	0	.....	0	.....	6	.....	0	.....	38	17	.0084	44.74